



WSK 100 1161



WSK 103



WSK 110 0A0B



WSK 110 0C0D



WSK 200



WSK 102



WSK 120 0A0B 0A0B



WSK 120 0A0B 0C0D



WSK 120 0C0D 0C0D



WSK 300 11

WSK 100 1161 / 102 / 103 / 110 0A0B / 110 0C0D / 120 0A0B 0A0B / 120 0A0B 0C0D / 120 0C0D 0C0D / 200 / 300 11

Ventilation keypads



Natural
ventilation



Smoke
ventilation

Application

- ventilation keypad with OPEN / CLOSE / STOP and/or DOWN / UP function
- secondary priority when connecting to smoke units
- keypad without mechanical lock

The ventilation keypads are either used for the manual opening and closing of electrically operated windows, smoke vents or light domes. Or running the sunscreen / blinds up and down.

The ventilation keypad signal has second priority in the smoke unit, meaning the signals from smoke detectors, smoke ventilation switches and external smoke alarm units have first priority.

For connecting to all WindowMaster natural ventilation and smoke ventilation panels.

WSK 100 1161

Surface or flush mounting.

OPEN / CLOSE / STOP function.

When surface mounting WSA 209 01 mounting frame must be used. The frame is to be ordered separately.

WSK 102

Surface mounting.

OPEN / CLOSE / STOP function.

Model Fuga. (DK version)

WSK 103

Surface mounting.

OPEN / CLOSE / STOP function.

Model Fuga.

WSK 110 0A0B

Single ventilation keypad for operating one window / window group.

OPEN / CLOSE / STOP function.

Model Fuga.

Can be combined with WEA 168 and used together with KNX-controls.

WSK 110 0C0D

Single ventilation keypad for operating one sunscreen / sunscreen group.

UP / DOWN / STOP function.

Model Fuga.

Can be combined with WEA 168 and used together with KNX-controls.

WSK 120 0A0B 0A0B

Double ventilation keypad for operating two windows / window groups.

OPEN / CLOSE / STOP function.

Model Fuga.

Can be combined with WEA 169 and used together with KNX-controls.

WSK 120 0A0B 0C0D

Double ventilation keypad for operating one window / window group and one sunscreen / sunscreen group.

One key for OPEN / CLOSE / STOP and a second for UP / DOWN / STOP.

Model Fuga.

Can be combined with WEA 169 and used together with KNX-controls.

WSK 120 0C0D 0C0D

Double ventilation keypad for operating two sunscreens / sunscreen groups.

UP / DOWN / STOP function.

Model Fuga.

Can be combined with WEA 169 and used together with KNX-controls.

WSK 200

Flush mounting.

OPEN / CLOSE / STOP function.

(UK version)

WSK 300 11

Flush mounting.

OPEN / CLOSE / STOP function.

(CH version)

Technical specifications

Function	WSK 102 / 103 / 200 / 300 11: OPEN / CLOSE / STOP WSK 100 1161 / 110 0A0B / 110 0C0D / 120 0A0B 0A0B / 120 0A0B 0C0D / 120 0C0D 0C0D: long press = run (OPEN / CLOSE or UP / DOWN) short press = stop	
Material	plastic housing	
Colour	white	
Size	WSK 100 1161 WSK 102 WSK 103 WSK 110 0A0B WSK 110 0C0D WSK 120 0A0B 0A0B WSK 120 0A0B 0C0D WSK 120 0C0D 0C0D WSK 200 WSK 300 11	81 x 81 x 15mm (W x H x D) 52 x 52 x 44mm (W x H x D) 50 x 50 x 17mm (W x H x D) 50 x 50 mm (W x H) 50 x 50 mm (W x H) 50 x 50 mm (W x H) 50 x 50 mm (W x H) 50 x 50 mm (W x H) 50 x 50 mm (W x H) 86 x 86 x 9.5mm (W x H x D) 88 x 88 x 11mm (W x H x D)
Note	we reserve the right to make technical changes	

Items	Item no.
Ventilation keypad	WSK 100 1161 02
Ventilation keypad model FUGA (DK version)	WSK 102
Ventilation keypad model FUGA	WSK 103
Ventilation keypad model FUGA	WSK 110 0A0B
Ventilation keypad model FUGA	WSK 110 0C0D
Ventilation keypad model FUGA	WSK 120 0A0B 0A0B
Ventilation keypad model FUGA	WSK 120 0A0B 0C0D
Ventilation keypad model FUGA	WSK 120 0C0D 0C0D
Ventilation keypad (UK version)	WSK 200
Ventilation keypad (CH version)	WSK 300 11

WSK 100 1161 / 102 / 103 / 110 0A0B / 110 0C0D / 120 0A0B 0A0B / 120 0A0B 0C0D /
120 0C0D 0C0D / 200 / 300 11

Ventilation keypads

Accessories	Item no.
Frame for surface mounting (for WSK 100)	WSA 209
KNX module for WSK 110 0A0B, for KNX-application please see www.windowmaster.com	WEA 168
KNX module for WSK 120 0A0B 0A0B, for KNX-application please see www.windowmaster.com	WEA 169