



WSB 300 0001



WSB 300 0002



WSB 300 0003



WSB 300 0004

WSB 300 0001 / 300 0002 / 300 0003 / 300 0004

Brackets with clamping ring for mounting spindle body



Natural
ventilation



Smoke
ventilation

Description

- motor brackets for spindle actuators type WMS 306 / 309 / 409
- for mounting of spindle actuators

WSB 300 0001

For WMS 306 / 309 / 409

For universal fixing options of facades and roof windows. The motor bracket can be moved along the whole length of the operator body.

The distance from the mounting surface of the motor bracket to the center of the spindle 40mm.

WSB 300 0002

For WMS 306 / 309 / 409

For universal fixing options of facades and light domes. The motor bracket can be moved along the whole length of the operator body.

The distance from the mounting surface of the motor bracket to the center of the spindle 73mm respectively 86mm.

WSB 300 0003

For WMS 306 / 309 / 409

For universal fixing options of facades and roof windows. The motor bracket can be moved along the whole length of the operator body.

The distance from the mounting surface of the motor bracket to the center of the spindle 50mm respectively 86mm.


WSB 300 0004

For WMS 306 / 309 / 409

Bottom screw M8, for bottom suspension of spindle actuators in conjunction with mounting brackets WSB 300 0010.


Can not be ordered separately, must be ordered with the actuator.

Mounting suggestion: WSB 300 0001




1. Spindle actuator 2. Bracket 3. Clamping ring 4. Screw

Mounting suggestion: WSB 300 0002




1. Spindle actuator 2. Bracket 3. Clamping ring 4. Screw

Mounting suggestion: WSB 300 0003



1. Spindle actuator 2. Bracket 3. Clamping ring 4. Screw

Mounting suggestion: WSB 300 0004



1. Spindle actuator 2. Eye screw 3. Screw nut 4. Washer

Items	Item no.
Motor bracket with clamping ring for spindle actuators type WMS 306 / 309 / 409. The distance from the mounting surface of the motor bracket to the center of the spindle is 40mm.	WSB 300 0001
Motor bracket with clamping ring for spindle actuators type WMS 306 / 309 / 409. The distance from the mounting surface of the motor bracket to the center of the spindle is 73mm respectively 86mm.	WSB 300 0002
Motor bracket with clamping ring for spindle actuators type WMS 306 / 309 / 409. The distance from the mounting surface of the motor bracket to the center of the spindle 50mm respectively 65mm.	WSB 300 0003
Bottom screw for spindle actuators type WMS 306 / 309 / 409	WSB 300 0004

WSB 300 0001 / 300 0002 / 300 0003 / 300 0004

Brackets with clamping ring for mounting spindle body